


PRODUCT CATALOGUE



VECHRO
PAINTS



NATURALLY
FIRST!



CREATIVITY-CREDIBILITY-TRUST-QUALITY
SOCIAL RESPONSIBILITY-CONSISTENCY

Who we are:

A Greek paint and varnish manufacturing company aiming at the production and distribution of high quality products since 1948 with vision

"An environment with value for human life on our planet".

What are we doing:

We penetrate in the paint and varnishes market by offering paints and other building materials under the strictest specifications of raw materials, production, quality audits, and distribution. We offer our products in both domestic and international market.

Who are we protecting with our products:

🌱 Human life 🌱 Our environment 🌱 Our home 🌱 Our planet

How:


- 🌱 With pioneering, innovative, and certified products:
 - Ecological
 - Hypoallergenic
 - Antifungal
 - Antimicrobial, etc.
- 🌱 By supporting our partners in every step by offering: Advices, Technical Support, Free Advertising Material
- 🌱 With a well-organized sales and distribution network.
- 🌱 By investing in new technologies, in human resources, and infrastructure building and mechanical equipment.
- 🌱 With social responsibility actions regarding sports, culture, and society.
- 🌱 Creating a sustainable working environment.
- 🌱 Adapting Vechro in the new era by upgrading the image of the company along with the company operation for the next generations.

Why we do this:

Because we value, we respect and we like to take care of the human life on our planet. To offer the best possible!

THANK YOU!

VECHRO AT A GLANCE



No1 company in total sales and certifications of ecological products in Greece from 2003 until now
(110 products in total)



3rd among other market leaders in Europe in ecological products certifications



Greek Industry



3rd biggest industry in Greece in the field of paints and varnishes



more than **74** years of history
(year of establishment: 1948)



Premium Quality in the best prices!



110 Ecolabel products
57 PRA products
20 Allergy UK products
46 Nanotechnology products
1 Bast
16 EN 71-3 products



Certifications:
ISO 9001
ISO 14001
ISO 45001
EMAS




Exports: Cyprus, Bulgaria, Albania, Poland, Armenia, Georgia, Romania, China



Our vision is an environment which values human life on the planet



Trustful and long-lasting cooperations



www.vechro.gr

Symbols explanation



Use

For the professional



Use

Home use



Covering Power

Per layer



Drying

It concerns surface drying time under normal conditions. The recoat and the drying time at depth is higher (See the product label and TDS)



COATS

Required layers for product's application.



Dilution

With water



Dilution

With White Spirit



Dilution

Vechro Thinner No1 or No3



Application

with rollers, paintbrush*



Application

Spray-Gun



Application

Wall Brush



Application

Simple spatula



Application

Serrated spatula



Application

Sponge



Application

Cloth



Available packaging

*The water-soluble products are dilute with water at a rate greater than in the case of a brush or roller. In case the solvent products, which are diluted with Smaltolux White Spirit for application by brush or roller, when applied with spray gun, they are diluted with Vechro Thinner No1 and the dilution rate is higher (See these product label & TDS)

Most of **VECHRO** products have been certified and evaluated for their features and characteristics under the strictest technical specifications from independently recognized laboratories in Europe.



110 PRODUCTS

Ecolabel Certification
from the European Union
(EL/044/007)



5 PRODUCTS

The measurement of emissions of volatile organic compounds (VOC) to ensure **indoor air quality**, in accordance with French legislation



20 PRODUCTS

Certification by the British Foundation **Hypoallergenic**



46 PRODUCTS

Products of applied nanotechnology in paints and varnishes could offer **better performance in hardness and elasticity, easy cleaning properties, water repellency, antimicrobial action, hygienic surfaces etc.**



16 PRODUCTS

Evaluation according to EN 71-3 for **non heavy metal migration** in toys and kids' furniture



1 PRODUCT

CE marking evaluation **in durability** according to EN 15197 and EN 1436 by the BAST German certification association



57 PRODUCTS

Evaluated at the British Paint Research (Antifungal-Antimicrobial properties, weather resistance, washability etc)



45 PRODUCTS

Evaluation at accredited laboratories



11 PRODUCTS

Energy efficiency evaluation



Endless coloring options via Vechro's Tinting System



Washing Resistance



Antifungal



Long Lasting



Antimicrobial



Filters UV



Certified as Cool - Reflective Paint



Solar Interface System (SRI) (ASTM E 1980-01)



Polyurethane technology



CONTENTS

Acrylic & Energy Saving paints



12

Elastomeric roof coatings



18

Water-based undercoats & enamel



24

Special export products



16

Wall undercoat paints and primers



20

Undercoat primers & Enamel paints



28

Emulsion paints



8

Water-based wood protection



34

Solvent based varnishes



38

Floor coatings




42

Special application paints



48

Wooden floor



36

Porous surface protection



42

Building and Repairing materials



44

Contact & social media



52



Emulsion paints



Smaltoplast Silk

High Quality Ecological Velvet Matte Emulsion Paint

- Hypoallergenic (British Allergy UK) & Odourless.
- Antimicrobial.
- A+ Indoor Air Quality.
- Permanent action against mold.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 12-14m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 1lt, 3lt, 10lt	

Smaltoplast Extra

Ecological Matte Emulsion Paint

- Excellent spreading rate and washability / scrub resistance (Class 1-EN 13300).
- Excellent covering power.
- Super opacity.
- A+ indoor air quality.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 375ml, 750ml, 3lt, 10lt	

Smaltoplast Extra Basic Colors

Matte Emulsion

- Alkali resistance.
- Excellent coverage.
- Super opacity.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 180ml, 375ml, 750ml	

Smaltoplast Kitchen & Bath

Ecological Antifungal Matte Emulsion Paint

- Antimicrobial (IMSL), Antifungal.
- Excellent washability/ scrub resistance (Class 1-EN 13300).
- High coverage.
- Super opacity.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 3lt, 10lt	

* Symbols' explanation on page 4

PRO

CHIEF

vinylflex

Emulsion paints



PRO Vinyl Eco

Ecological Matte Emulsion Paint

- High coverage.
- Very good leveling.
- Excellent resistance to washing (EN 13300, Class 1: White & Base P, Class 2: Base D & TR).



Professional use	DRYING 1/2-1h
Home use	DILUTION 5-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 1l, 3lt, 10lt	

Chief Emulsion

Ecological Matte Emulsion Paint

- Great coverage and excellent whiteness.
- New improved composition with resistance to washing (Class 2-EN 13300).



Professional use	DRYING 1-2h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 3lt, 9lt, 15lt	

Vinylflex Emulsion

Matte Emulsion Paint

- Ideal for frequent refreshing.
- Great coverage and whiteness.



Professional use	DRYING 1-2h
Home use	DILUTION 5-10% with water
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt, 15lt	

Vinylflex Hydropaint Emulsion

Hydropaint

- Suitable for roofs, ceiling, stairwells, warehouses & any surfaces which does not require frequent washing.
- The surface is able to "breathe" as it keeps the pores of the roof open.
- Great whiteness.



Professional use	DRYING 1/2-1h
Home use	DILUTION 10-20% with water
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt, 15lt	

Smaltoplast Kitchen & Bath

Antifungal & Antimicrobial Properties



Ecological Antifungal & Antimicrobial Emulsion Paint For Areas with High Moisture

- Antimicrobial (ISO 22196:2011), IMSL
- Antifungal
- Excellent washability / scrub resistance (Class 1, EN 13300)
- Excellent spreading rate and high coverage



* Symbols' explanation on page 4



Acrylic paints



Smaltoplast Acrylic

Ecological 100% Acrylic Paint

- High resistance to adverse conditions.
- Unmodified shades.
- Long-lasting protection.
- Alkali & water resistance.
- Very good levelling and covering power.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 1lt, 3lt, 10lt	

Smaltoplast Silicone

Ecological Silicone 100% Acrylic Paint

- Antifungal properties.
- Excellent breathability & water resistance.
- Long-lasting protection.
- Unmodified shades.
- Great coverage and leveling.



Professional use	DRYING 1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 10lt	

Smaltoplast Elastic

Ecological Elastomeric 100% Acrylic Paint

- Elastomeric water repellent. Classified as a "low liquid permeability" according to EN 1062-1.
- Covers hairline cracks.
- High resistance to adverse weather conditions (-20°C).
- Excellent resistance against fungi and algae, according to EN15457.
- Unmodified shades.



Professional use	DRYING 2-4h
Home use	DILUTION 8-10% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 10lt	

Smaltoplast Cement Paint

Cement Paint 100% Acrylic Paint

- Alkali resistance.
- Weather resistance.
- Strong adhesion.
- Available at Terracotta (PCM 2131) & Grey 504 (PCM 1854) & White.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 3lt, 10lt	

* Symbols' explanation on page 4

Energy saving paints



Smaltoplast Thermo

Thermoprotective Elastic Acrylic Paint

- Energy Saving.
- Elastomeric - Gap bridging class A1 (23°C).
- High water resistance and breath-ability. Classified as a "low liquid permeability" according to EN 1062-3(23°C).
- Excellent resistance against fungi according to EN15457.



Professional use	DRYING 2-4h
Home use	DILUTION 0-10% with water
COVERING POWER 10-14m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 10lt	



Chief Acrylic

Acrylic Paint for Exterior Use

- Easy to apply with very good leveling and very good weather and alkali resistance.
- Ideal for professionals.
- Available at ready shades Grey 504 (PCM 1854) & Terracotta (PCM 2131).



Professional use	DRYING 1-2h
Home use	DILUTION 5-15% with water
COVERING POWER 9-11m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 1lt, 3lt, 9lt, 15lt	



Vinylflex Acrylic Cement Paint

Acrylic Cement Paint

- Ideal for frequent recoating.
- Great coverage and whiteness.



Professional use	DRYING 1-2h
Home use	DILUTION 5-10% with water
COVERING POWER 9-11m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt, 15lt	

PRO Relief

Acrylic Texture Decorative Paint

- Excellent adhesion.
- Weather resistance.
- Recoatable with emulsion or acrylic paint.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready for use
COVERING POWER 1-1,5m ² /Kg	APPLICATION Thick brush, spongy roller for special texture
COATS 2	
PACKAGING 5Kg, 15Kg	

Smaltoplast Acrylic
Excellent long-lasting
bright colors!



Ecological 100% Acrylic Paint

- Resistance to adverse weather conditions
- Long-lasting protection
- Unmodified shades
- Alkali resistance
- Very good levelling and covering power



* Symbols' explanation on page 4



Special export products



Smalto Professional

- Flat interior emulsion paint suitable for walls, plasters, concrete, and gypsum board.
- Good hiding and covering power. Very good cost effective solution for the professionals, combining good hiding and wash ability.
- Low odor.



Professional use	DRYING 1-2h
Home use	DILUTION 10-20% with water
COVERING POWER 8-10m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt, 15lt	

Orion

- Flat interior emulsion paint suitable for walls, plasters, concrete, and gypsum board. Combines good hiding and coverage, with very good whiteness.
- Very good cost effective solution for professionals.



Professional use	DRYING 1-2h
Home use	DILUTION 5-15% with water
COVERING POWER 9-11m ² /kg	APPLICATION Brush Roller
COATS 2	
PACKAGING 10lt	

Smalto Universal

- Flat acrylic paint suitable for interior and exterior surfaces.
- Very good resistance in weather conditions, adhesion and breathability.
- It keeps vigorous coloring even in bad weather conditions and UV resistance.



Professional use	DRYING 1-2h
Home use	DILUTION 10-20% with water
COVERING POWER 8,5-10,5m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt, 15lt	

Smalto Primer

- Water based acrylic primer with very good adhesive and penetrating properties.
- Suitable for internal and external use. Recoatable with any emulsion paint.
- Increases the covering power of the final paint because it reduces the absorbency of the surface.



Professional use	DRYING 1-2h
Home use	DILUTION 100-400% with water
COVERING POWER 10-20m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 1lt, 15lt	

* Symbols' explanation on page 4



Elastomeric roof coatings



Isolor PU HYBRID Aqua Plus +

High Solids Elastomeric Waterproofing Coating for Roofs

- Top quality water soluble hybrid elastomeric sealant based on acrylic and polyurethane resins.
- It fully covers capillaries and cracks up to 1.5mm.
- Certified by the CE marking as a concrete surface protection product, in accordance with EN-1504-2.
- Certified as Cold Reflective Material (CRES, DEMOCRITUS).



Available at White & Terracotta (NCS/S4030 Y70R)

Professional use	DRYING 1-3h
Home use	DILUTION 5% with water 10% on old bituminous
COVERING POWER 0.7-2m ² /kg	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 3lt, 10lt	APPLICATION Thick Brush

Isolor PU HYBRID Primer

Water Based Hybrid Primer for Water Proofing Coatings

- Excellent adhesion and penetration.
- Recommended for priming new cement substrates and existing waterproofing coatings.
- Can be applied above bituminous materials, mosaic, aluminum foils etc.
- Quick drying.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready for use
COVERING POWER 4-8m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 1lt, 5lt	

Isolor Duraflex

Elastomeric Polyurethane Waterproofing Coating

- High quality waterproofing elastomeric coating one component for long-lasting protection.
- Membrane keeps its elasticity from -20°C until 90°C.
- Certified as cool - reflective paint.



*More info for Isolor Duraflex Thinner at pg. 48

Professional use	DRYING 6-8h
Home use	DILUTION 10% Isolor Duraflex Thinner
COVERING POWER 1,5-2m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 4lt, 18lt	APPLICATION Thick Brush

Isolor Roof

Elastomeric Acrylic Waterproofing Coating

- Acrylic elastomeric insulation material with very good sealing properties.
- It follows the contractions-dilation of the surface, without popping or peeling.
- Effectively insulates and protects against adverse weather conditions.



Professional use	DRYING 2-3h
Home use	DILUTION 5-10% with water
COVERING POWER 1-3m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 3lt, 9lt	

* Symbols' explanation on page 4



smaltoplast

PRO

Wall undercoat paints & primers



Smaltoplast Universal Primer

Silicone Micro Acrylic water based primer

- Excellent adhesion and alkali resistance.
- A+ indoor air quality.
- Excellent penetration.
- For interior & exterior use.
- Waterproofing and high breath-ability.



Professional use	DRYING 1-2h
Home use	DILUTION 50-100% with water
COVERING POWER 15-20m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 1t, 3t, 15t	

PRO Acrylic Primer

Water based acrylic primer

- Strong adhesion and high penetration.
- High resistance to alkali.
- Recoatable with any emulsion or acrylic paint.
- For interior & exterior use.



Professional use	DRYING 1-1 1/2h
Home use	DILUTION 50-300% with water
COVERING POWER 16-20m ² /lt	APPLICATION Brush Roller
COATS 1	
PACKAGING 750ml, 3t, 10t, 16.5t	

PRO Gypsum Board Primer

White Acrylic Water Soluble Plasterboard for Indoor use

- Excellent filling properties, smooth imperfections between joint filing material and gypsum board.
- For interior use.
- Recoatable with any emulsion paint.



Professional use	DRYING 1/2-1h
Home use	DILUTION 5-10% with water for brush or roller & 15-20% with water for airless gun
COVERING POWER 8-14m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 3t, 9t	

PRO Smaltodur Primer

Waterproof Acrylic Primer for walls & roofs

- Suitable for external use on new surfaces old-painted walls.
- Excellent waterproofing properties, penetration and adhesion.
- Intensifies the surface.



Professional use	DRYING 1-1 1/2h
Home use	DILUTION 50-100% with Smaltolux White Spirit
COVERING POWER 10-15m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 1t, 5t, 15t	

* Symbols' explanation on page 4

Smaltox Hydro

Ecological Stain Blocking White Primer

- Blocks stains from nicotine, smoke, urban pollution, markers, mold, old dampness etc.
- Suitable for priming lime, gypsum, gypsum board, concrete, renders.
- Quick drying & recoatability.



Professional use	DRYING 1/2-1h
Home use	DILUTION 5-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 3lt, 10lt	



Smaltox Water Stop

Waterproofing water based primer

- Damp sealer.
- Quick drying and recoatable with indoor emulsion paints and outdoor acrylics.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-15% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaltox Mono

Special Stain Blocking Primer

- Excellent blocking properties against nicotine, smoke, urban pollution, markers, graffiti, mould, old dampness.
- Excellent adhesion and very good consolidation of old surfaces.



Professional use	DRYING 1-2h
Home use	DILUTION 20% with Smaltolux White Spirit
COVERING POWER 8-10m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaloplast Fix Dur

Acrylic Emulsion for Plasters and Cement enforcement

- Performs better adhesion and elasticity.
- Increases the mechanical properties.
- Performs as a primer-bridge between old and new concrete.



Professional use	DRYING 3-4h
Home use	DILUTION 50-100% as primer
COATS 1	APPLICATION Brush Roller
PACKAGING 1Kg, 5Kg	



PRO

YOUR PROFESSIONAL CHOICE!
For interior and exterior use.

* Symbols' explanation on page 4

Water-based undercoats & enamels



smaltolux^{hydro}

Water-based undercoats & enamels



Smaltolux Hydro Tile Reno Paint

Water-based Polyurethane (PU) Acrylic Product for Difficult Surfaces

- Excellent adhesion without the use of primer.
- Very good mechanical strength.
- Resistant to household cleaners, impacts, and scratches.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-10% with water
COVERING POWER 12-14m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml	

PU

Smaltolux Hydro Eco Gloss, Satin, Velvet-Mat

Ecological Hypoallergenic Polyurethane Acrylic Water Based Enamel

- A protection shield from asthma & allergies.
- Antimicrobial- Protects the film from growth of microorganisms (bacteria & fungi)
- Easy to clean.
- Odourless.



Professional use	DRYING 2-3h
Home use	DILUTION 10% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaltolux Hydro Master Primer

Ecological Acrylic Water Based Primer

- Multipurpose.
- Excellent adhesion on wide range of substrates such as wood, MDF, chipboard, aluminum, galvanized steel, hard PVC, ceramic tiles, glass.



Professional use	DRYING 1-2h
Home use	DILUTION 8-15% with water
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaltolux Hydro Blackboard Paint

Water based chalkboard paint

- Excellent resistance to chalk scratching.
- Effective cleaned.
- Easily erased.
- Low odour.



Professional use	DRYING 2-3h
Home use	DILUTION 10% with water
COVERING POWER 11-13m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 375ml, 750ml	

Smaltolux Hydro Radiator

Semi-gloss Water Based Enamel for Radiators

- Resistance to high temperatures.
- Strong adhesion.
- Excellent toughness.
- Quick drying.
- Contains rust converter.



Professional use	DRYING 2-3h
Home use	DILUTION 8-10% with water
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml	

* Symbols' explanation on page 4

Smaltoplast Elastic

Ecological Elastomeric 100% Acrylic Paint

- Elastomeric-covers hairline cracks
- High resistance to adverse conditions -20°C
- Antifungal properties
- Unmodified shades



Smaltoplast Silk

Odorless Ecological Matte Emulsion Paint

- Hypoallergenic (British Allergy UK)
- Antimicrobial (ISO 22196:2007, BS3900:G6)
- A+ Indoor Air Quality
- Permanent action against mold
- Easy to Clean (Class 1- EN 13300)



Undercoat & primers Enamel paints



GUMILAK METAL

Undercoat & primers enamel paints



Gumilak Metal Duco



Premium Quality Enamel

- Enhanced anticorrosive protection & great covering power.
- Excellent hardness and durability, with very good resistance to mechanical strain.
- Great resistance in UV and in adverse weather conditions.
- Available at 24 ready made shades & endless coloring options via Vechro's Tinting Machine.



Professional use	DRYING 2-3h
Home use	DILUTION Brush or roller: 5% Smaltolux White Spirit Airless Gun: 8% Thinner No1
COVERING POWER 14-16m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 200ml, 375ml, 750ml, 2.5lt, 5lt	

Gumilak Metal Hardener

High Solids Hardener

- Accelerates drying time.
- Increases hardness & durability.



Professional use	
Home use	
PACKAGING 250ml	

Gumilak Metal Primer

Metal Surface Primer

- Quick drying.
- Very good adhesion and elasticity.
- Very good leveling and sanding properties.



Professional use	DRYING 1-2h
Home use	DILUTION Brush or roller: 4% with Smaltolux White Spirit Airless Gun: 4% Thinner No1
COVERING POWER 14-18m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING White: 375ml, 750ml, 2.5lt, 5lt, 10lt Grey: 750ml, 2.5lt	

Gumilak Metal Chassi

Anticorrosive chassi paint

- Excellent resistance to water, gasoline, & car oils.
- Excellent adhesion on metal surfaces.
- Anti-corrosive Protection.
- Quick drying.



Professional use	DRYING 1-2h
Home use	DILUTION Brush or Roller: 5% with Smaltolux White Spirit Airless Gun: 12% with Thinner No1
COVERING POWER 12-14m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

* Symbols' explanation on page 4

Corrolux Metal Effect

Metalized Antirust Decorative Enamel

- Excellent adhesion, leveling & drying.
- Metalized-pearl effect protective & decorative.
- Very good anti-corrosive properties.
- Can be used direct in metallic surfaces without use of anti-corrosive primer.



Professional use	DRYING 2-3h
Home use	DILUTION 5% with Smaltolux White Spirit
COVERING POWER 8-10m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Corrolux Enamel

Hammer Finish

- Fast drying.
- Excellent hardness & durability.
- Very good resistance to mechanical strain.
- Anti-corrosive protection.
- Weather resistance.
- Available at 12 Vechro's color shades.



Professional use	DRYING 10-15 min
Home use	DILUTION Brush or Roller: 4% Airless Gun: 6% with Thinner No1
COVERING POWER 8-10m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Corrolux Antirust

Gloss 2 in 1 Anti-rust Enamel

- Direct to rusty and new metal surfaces.
- Anticorrosive performance.
- Very good adhesion, flow, leveling and fast drying.
- Available at 9 ready made color shades.



Professional use	DRYING 1-3h
Home use	DILUTION Brush or Roller: 5% with Smaltolux White Spirit Airless Gun: 12% Thinner No1
COVERING POWER 15-17m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Oxidol Anticorrosive Primer

Anticorrosive new generation primer

- High anti-corrosive protection.
- Excellent adhesion.
- Fast drying.
- Contains non toxic pigments.



Professional use	DRYING 1-1 1/2 h
Home use	DILUTION Brush or Roller: 5% with Smaltolux White Spirit Airless Gun: 18% with Thinner No1
COVERING POWER 14-16m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 375ml, 750ml, 2.5lt, 5lt	

Oxidol Galvanize Primer

Aluminium Galvanize Primer

- Excellent adhesion in non ferrous surfaces.
- Suitable undercoat for aluminum, galvanized metal, stainless steel, copper etc.



Professional use	DRYING 2h
Home use	DILUTION Brush or roller: 4% Airless Gun: 6% Thinner No1
COVERING POWER 12-14m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Oxidol Minio

Superior Anti-corrosive Primer

- Excellent anti-corrosive protection even on surfaces exposed to strong oxidative environment.
- Very good adhesion.
- Fast drying.
- Contains non toxic pigments.



Professional use	DRYING 1 1/2-2h
Home use	DILUTION Brush or roller: 5% with Smaltolux White Spirit Airless Gun: 18% Thinner No1
COVERING POWER 13-15m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

* Symbols' explanation on page 4

* Symbols' explanation on page 4

Undercoat & primers enamel paints



Smaltolux Extra Gloss, Satin

Premium Quality Wood Enamel

- Suitable for wood and metal surfaces.
- Gives smoothness to surfaces and enhances yellowness in the dark performance.
- Available at Gloss-Satin & Matte finish.



Professional use	DRYING 2-4h
Home use	DILUTION 4% with Smaltolux White Spirit
COVERING POWER 16-18m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 1lt, 2.5lt	

Smaltolux Velatura

New generation wood undercoat based on special alkyd resins

- For wooden surfaces and MDF with filling properties.
- Easy application and easy sanding.
- Quick recoatability.
- Available at white.



Professional use	DRYING 1-2h
Home use	DILUTION Brush or roller: 4% with Smaltolux White Spirit Airless Gun: 4% Thinner No1
COVERING POWER 14-18m ² /lt	APPLICATION Brush Roller
COATS 1	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt, 5lt	

PRO Silicone Duco

High Durability Silicone Alkyd Enamel Paint

- Weather & UV radiation resistance.
- High hardness without the addition of hardener.
- Resistance to mechanical abrasion.
- Excellent efficiency & coverage.



Professional use	DRYING 2-3h
Home use	DILUTION 5% with Smaltolux White spirit
COVERING POWER 14-16m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

PRO Minio Extra

Anticorrosive Primer

- Excellent anti-corrosive long lasting protection with synthetic alkyd resins, & lead oxide.
- Very good adhesion.
- Very good leveling.

Only for professional use



Professional use	DRYING 1 1/2-2 1/2 h
COVERING POWER 4-6m ² /Kg	DILUTION 5-10% with Smaltolux White spirit
COATS 1	APPLICATION Brush Roller
PACKAGING 500gr, 1Kg, 5Kg	

PRO

YOUR PROFESSIONAL CHOICE



PRO ACRYLIC PLASTER & PRO PRIMER PLASTER



Premium acrylic plaster system, ready for use.

- Acrylic fiber reinforced plaster in pasty form of organic base.
 - Ideal for the final finish in external thermal insulation systems.
 - It is used as one-layer plaster on concrete substrates, conventional mortars, cement boards, gypsum boards, previously painted surfaces, etc.
 - It is water repellent and permeable to water vapor
- Certified with the CE market according to EN 15824.



Flat: 1.0mm & 1.5mm
Graffiato: 2.0mm & 3.0mm





smaltoxyl^{hydro}

Water-based wood protection



Smaltoxyl Hydro Eco Varnish

Ecological Protective & Decorative Wood Varnish

- Low build stain varnish, does not flake.
- Micro-porous waterproofing & allowing the wood to breathe.
- Suitable for children's toys (Standard EN 71-3).
- Very easy wood maintenance.
- Available at 15 ready made shades.



Professional use	DRYING 1-2h
Home use	DILUTION 5-10% with water
COVERING POWER 15-20m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Sponge
PACKAGING 750ml, 2.5lt	

Smaltoxyl Hydro Wood Preservative

Water-based Wood Preservative

- Protects against fungi, blue stains and wood-eating insects.
- Preserves & penetrates deeply.
- Breathable.
- Available at 10 ready made shades.



Professional use	DRYING 1-2h
Home use	DILUTION Ready for use
COVERING POWER 15-17m ² /lt	APPLICATION Brush Roller
COATS 1-2	
PACKAGING 750ml, 2.5lt	

Smaltoxyl Hydro Teak Oil

Water Based Teak Oil

- Water resistance and mold protection.
- Contains UV filters.
- Protection against stains.
- Quick drying.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready for use
COVERING POWER 12-15m ² /lt	APPLICATION Brush
COATS 2	APPLICATION Cloth
PACKAGING 750ml, 2.5lt	

Smaltoxyl Hydro Decking Oil

Hybrid Water Based Decking Oil

- Chlorinated water and seawater resistance.
- Resistance to mold.
- High resistance to adverse weather conditions.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready for use
COVERING POWER 10±2m ² /lt	APPLICATION Brush Roller
COATS 2-3	APPLICATION Paintbrush
PACKAGING 750ml, 2.5lt	

* Symbols' explanation on page 4

smaltoxyl hydro

Wooden floor

Smaltoxyl Hydro Parquet Varnish

Polyurethane Wooden-Floor Varnish

- Polyurethane (PU) technology.
- Scratch resistant.
- Quick drying.
- Strong adhesion, elasticity and hardness.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready for use
COVERING POWER 12-14 m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaltoxyl Hydro Parquet Primer

Water based primer for wooden floors

- Great adhesion and elasticity.
- Excellent filling of the wood pores.
- Easily sanding, enhancing the abrasion of wood.
- Ease to apply.
- Quick drying.



Professional use	DRYING 1/2-1h
Home use	DILUTION 8 - 10% on volume with water
COVERING POWER 9-11m ² /lt	APPLICATION Brush Soft Roller
COATS 1-2	
PACKAGING 750ml, 2.5lt	

* Symbols' explanation on page 4





Solvent-based varnishes



Smaltoxyl Base

Wood Stain Varnish

- Maintains its elasticity following wood's movements.
- Breath & waterproof abilities.
- Water resistance without cracks and peeling.
- Protects the film from mold growth & fungi.
- UV filters.



Professional use	DRYING 12h
Home use	DILUTION Ready to use
COVERING POWER 12-18m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Smaltoxyl Deco

Protective and Decorative Wood Varnish

- Alkyd wood varnish.
- Protects the film from mold growth and moisture.
- Keeps elasticity in order to follow woods movements.
- UV filters.



Professional use	DRYING 3-4h
Home use	DILUTION Roller or Brush: 5% with Smaltolux White Spirit Airless Gun: 8% Thinner No1
COVERING POWER 9-11m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 200ml, 750ml, 2.5lt	

Smaltoxyl Teak Oil

Protective Oil for Teak & Hard Exotic Timber

- Maintaining and refreshing hard exotic woods.
- Replaces lost natural wooden oils.
- Contains Wax.
- Water, sunlight, salts, stains etc. protection.



Professional use	DRYING 3-4h
Home use	DILUTION Ready to use
COVERING POWER 15-17m ² /lt	APPLICATION Brush
COATS 1-2	APPLICATION Cloth
PACKAGING 750ml, 2.5lt	

Smaltoxyl Yacht Varnish

Polyurethane-Alkyd Yacht Varnish

- Tough and elastic film.
- Long lasting protection.
- Resistance to mechanical stress.
- UV filters and outdoor durability.
- Protection of dried film against mildew growth and moisture.



Professional use	DRYING 3-4h
Home use	DILUTION Brush or Roller: 5-10% with Smaltolux White Spirit Airless Gun: 10% Thinner No1
COVERING POWER 12-18m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	


* Symbols' explanation on page 4




#PaintHasThePower



#PaintHasThePower



#PaintHasThePower



#PaintHasThePower



Smaltoxyl Hydro
Ecological Wood Varnish

- Does not flake
- Micro-porous waterproofing & allowing the wood to breathe



Pro Pool Plus 1
Pool Paint

- High-strength elastic paint
- Excellent resistance to chlorine and other preservative chemicals & sea water



Smaltoplast Extra
Ecological Matte Emulsion Paint

- Excellent covering power & super opacity
- A+ indoor air quality
- Scrub resistance



Smaltoplast Acrylic
Ecological 100% Acrylic Paint

- Long-lasting protection & unmodified shades
- High resistance to adverse conditions
- Alkali & water resistance



Porous surface
protection



POLYDOX

Floor coatings




Dulisol

Floors

Polydox Varnish Hydro

Waterproof Protective Stone Varnish

- Hyper-penetration.
- Excellent liquid repellent.
- Weather & atmospheric solution resistance.
- Suitable for natural and artificial stone, brickwork, marble, cement etc.



Professional use	DRYING 30min
Home use	DILUTION Ready to use
COVERING POWER 4-8m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Polydox Varnish Acrylic

Acrylic Stone Varnish

- Very good adherence & hardness.
- Against yellowing.
- Weather resistance.
- Gloss finish.



Professional use	DRYING 1-1 1/2h
Home use	DILUTION Ready to use
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Dulisol Hydro

Hybrid Polyurethane - Acrylic Water Based, Floor Paint

- Suitable for indoor and outdoor paved concrete floors with light traffic.
- Smooth application & very good adhesion.
- Great coverage.
- Weather & wear resistance.



Professional use	DRYING 1/2-1h
Home use	DILUTION Brush or roller: 8-10% with water Airless Gun: 15% with water
COVERING POWER 12-14m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt	

Dulisol

Solvent Based Acrylic Paint for Stones, Pavements & Floors

- Excellent adhesion.
- Weather resistance.
- Suitable for stone pavements, roof tiles and cement floor surfaces.
- Available at white, terracotta (3013) and grey (7046).



Professional use	DRYING 1/2-1h
Home use	DILUTION 5% VECHRO THINNER No1 or No3
COVERING POWER 12-15m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 2.5lt	

* Symbols' explanation on page 4

PRO Acrylic Plaster



Acrylic Fiber-Reinforced Plaster

- Excellent adhesion & elasticity.
- Water repellent & permeable to water vapor.
- Ready to use.
- Certified with the CE mark (EN 15824).



Professional use	DRYING 4-6h
Home use	DILUTION 2% with water
COVERING POWER 1.9-3.0kg/m ²	APPLICATION Simple spatula
COATS 2	
PACKAGING 5kg, 25kg	



PRO Primer Plaster



Acrylic White Primer for Plaster

- Resistant to alkali & humidity.
- Excellent adhesion.
- After its application it creates a rough surface



Professional use	DRYING 1-1 1/2 h
Home use	DILUTION 5% with water
COVERING POWER 10-12m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 10lt	

PRO Bondfix Quartz

Quartz Adhesive Primer for Plaster

- Excellent adhesion.
- Great alkali and water resistance.
- Suitable to use as a "bridge" on cement, plaster, cement board, plasterboard, expanded or extruded polystyrene, concrete blocks, mosaic, tiles, sea plywood, MDF and other wood or metal surfaces.



Professional use	DRYING 1/2-1h
Home use	DILUTION Ready to use
COVERING POWER 4-12m ² /lt	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 750ml, 2.5lt, 10lt	

* Symbols' explanation on page 4

Smaltofill Elastic Putty

Elastomeric Putty for cracks and joints

- Enriched with microspheres, for internal and external use.
- Suitable for filling of cracks and joints on walls terraces etc but also for filling between different materials such as concrete, wood, tar, polyurethane.
- Minimum shrinkage and no cracking.
- Excellent resistance to alkali and temperature variations.



Professional use	DRYING 3-6h
Home use	DILUTION Ready to use
COVERING POWER 1-2,5m ² /Kg	APPLICATION Simple spatula
COATS 1-2	
PACKAGING 1Kg, 4Kg	

Smaltofill Acrylic Putty

Acrylic Putty

- For internal and external use.
- Suitable for wood, masonry, cement, gypsum board etc.
- Easy to apply with excellent filling properties & quick drying.



Professional use	DRYING 1-2h
Home use	DILUTION Ready to use
COVERING POWER 2-3m ² /Kg	APPLICATION Simple spatula
COATS 1-2	
PACKAGING 400gr, 800gr, 5Kg	

Smaltofill Easy Putty

Lightweight Acrylic Putty

- Quick & easy application.
- Non-shrinking.
- Filling and repairing cracks and holes up to 5cm.
- Corrosion resistant of the metal.



Professional use	DRYING 1-8h
Home use	DILUTION Ready to use
COVERING POWER Depending on the thickness of the layer	APPLICATION Simple spatula
COATS 2	
PACKAGING 500ml, 1lt	

Ultra Smaltoplast Fix

Fine Cement-Acrylic Putty Powder for leveling plastered surfaces and face concrete

- Easily homogenized.
- Excellent application, filling and sanding properties.
- No cracks.
- No shrinking even at high film thickness.
- Interior and exterior use.



Professional use	DRYING 3-4h
Home use	DILUTION 7kg per 20kg of product
COVERING POWER 1-3m ² /Kg	APPLICATION Simple spatula
COATS 2	
PACKAGING 5Kg, 20Kg	



* Symbols' explanation on page 4

Ultra Smaltoplast Power Fix

High filling power coarse compound

- Easily homogenized.
- Suitable for filling and leveling bad structured concretes and plasters.
- Excellent application, filling and sanding properties.
- No shrinking even at high film thickness.
- Durable in bad weather conditions.



Professional use	DRYING 3-4h
Home use	DILUTION 6-7kg per 20kg of product
COVERING POWER 1-3m ² /Kg	APPLICATION Simple spatula
COATS 1-2	
PACKAGING 5Kg, 20Kg	



VECHRO Bond 1000

White Acrylic, Tile Adhesive

- Suitable for fixing tiles and decorative bricks for internal and external use.
- Classified C1T according to EN12004.
- High bond strength.
- Tiling without sliding on the wall.



Professional use	DRYING FLOOR: 24h MASONRY: 12h
Home use	DILUTION 5kg of glue with about 1.4kg of clean water
COVERING POWER 2,5-4,5 m ² /Kg	APPLICATION Serrated spatula
PACKAGING 5Kg, 25Kg	



VECHRO Bond 2000

Reinforced Super Acrylic Tile Adhesive

- Reinforced with acrylic resins, suitable for placing ceramic tiles.
- Classified C2TE category according to EN 12004.
- Excellent bonding resistance with zero slip.
- Extended open application time.
- Internal and external use.



Professional use	DRYING FLOOR: 24h MASONRY: 12h
Home use	DILUTION 5kg of glue with about 1.4kg of clean water
COVERING POWER 2,5-4,5 m ² /Kg	APPLICATION Serrated spatula
PACKAGING 5Kg, 25Kg	



VECHRO Fast Cret

Fiber-reinforced quick-setting repair plaster


- Suitable for the repair and restoration of damaged parts on surfaces of plaster, bricks, concrete etc. for internal and external use.
- Strong adhesion.
- Classified Class R / CSII according to EN 998-1.
- High mechanical strength.
- Does not contain gypsum.



Professional use	DRYING 30-40min
Home use	DILUTION 1kg of glue with about 5kg of clean water
COVERING POWER 12-14 m ² /Kg for 1cm layer	APPLICATION Simple spatula
PACKAGING 5Kg, 25Kg	APPLICATION Trowel



* Symbols' explanation on page 4



PRO

Special application paints



PRO Pool Plus 1

Single Component Pool Paint

- Excellent resistance to chlorine and other preservative chemicals & sea water.
- High-strength elastic paint.
- Easy to apply & great adhesion.
- Based on chlorinated rubber resin.
- Available at light blue (PCM 544).



Professional use	DRYING 1/2-1h
Home use	DILUTION 8-10% with Vechro Thinner No1
COVERING POWER 7-9m ² /lt	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING 4lt	

PRO Antigraffiti PU

Antipollution & Anti-graffiti 2C PU paint

- Suitable for application on walls and on surfaces from concrete, plaster, stone, metals, wood etc.
- Excellent hardness & weather resistance.
- High resistance UV radiation, yellowing & mechanical stress.
- Creates a hard & elastic membrane without pores.
- Could be cleaned from graffiti with the proposed diluent Vechro Thinner No1.



Professional use	DRYING 2-3h
Home use	DILUTION Ready to use
COVERING POWER 4 - 6m ² /Kg	APPLICATION Brush Roller
COATS 2	APPLICATION Airless Gun
PACKAGING Component A: 4Kg Component B: 1Kg	

PU

PRO Road Marking Paint

Acrylic Road Marking Paint

- Great adhesion and elasticity on tar, concrete, metal surfaces, plasters.
- Abrasion & wear resistance.
- Quick drying.
- Available at White, Yellow & Black.



Professional use	DRYING 15-17min
Home use	DILUTION Ready to use
COVERING POWER 1,5-1,9m ² /Kg	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING 1Kg, 5kg, 23Kg, 25Kg	APPLICATION Road Marking Machines

PRO Wash Primer

2C Primer for Preliminary processing on ferrous & non ferrous metallic surfaces

- Prepares non-ferrous surfaces such as aluminum, galvanized sheet iron, copper, in order to achieve very good adhesion.



Professional use	DRYING 20-30min
Home use	DILUTION Ready for use
COVERING POWER 8-10m ² /Kg	APPLICATION Brush Roller
COATS 1-2	APPLICATION Airless Gun
PACKAGING Component A: 0,6Kg Component B:0,15Kg	

* Symbols' explanation on page 4

Special application paints



PRO Paint Remover

New Generation Paint Remover

- Suitable to remove old coatings from painted surfaces.
- Without methylene chloride.



Professional use

COATS 2

Home use

ACTION TIME 10-30min

COVERING POWER 2-4m²/lt

DILUTION Ready to use

PACKAGING 375ml, 750ml

Thinner Isolor Duraflex

- Transparent aromatic thinner.
- The product is used as thinner for the Isolor Duraflex.

Only for professional use



Professional use

PACKAGING 750ml, 4lt

Thinner No 1

- Clear, colorless, aromatic hydrocarbon.
- Low sulfur content.
- Completely miscible with castor, linseed and other oils.



Professional use

Home use

PACKAGING 750ml, 4lt, 15lt

Thinner No 3

- Mixture of aromatic hydrocarbons.
- Suitable solvent for nitrocellulose lacquers and varnishes.
- Miscible with most organic liquids.



Professional use

Home use

PACKAGING 750ml, 4lt, 15lt

* Symbols' explanation on page 4

Thinners



Smaltolux White Spirit

- Smaltolux White Spirit is a mixture of paraffin, cycloparaffin, and aromatic hydrocarbons with boiling range which lie between 160-200°C.
- Low Aromatic.



Professional use

Home use

PACKAGING 375ml, 750ml, 4lt, 15lt

Smaltolux Odor Free Thinner

- Mixture of odorless flame retardant high-carbon aliphatic hydrocarbons.
- Perfect thinner for odorless paints.



Professional use

Home use

PACKAGING 750ml

* Symbols' explanation on page 4




Technical support department



About our products and their properties, technical brochures, application methods, advice/guidance as well as technical solutions.

E: techsupport@vechro.gr

T: +30.210.4816101



Contact us



E: info@vechro.gr

T: +30.210.4816101

F: +30.210.4820460

**Monday- Friday:
07:30 a.m. - 15:30 p.m.**

The Most Reliable Tinting System For Unmodified Shades




PCM & RAL Vechro palletes are valuable tools for both professionals and consumers and they are available for sale. Visit our website and buy yours.

Community



www.vechro.gr

We choose VECHRO, the leading company in total ecological paint Sales & Certifications since 2003!



Year of establishment of the company

First ecological product certification

Number of certified **VECHRO** ecological products



VECHRO S.A.

302 Liosion Av. | 111 45 Athens | T +30 210 48 16 101

Northern Greece Olympou & 9 Ektelesthenton Kalochoriton,
570 09 Kalochori Thessaloniki | T +30 2310 784 300

E info@vechro.gr | www.vechro.gr

Instagram: vechro | Facebook: vechrogr | YouTube: vechropaints | LinkedIn: vechro paints sa

