

# Dulisol



FLOOR COATINGS  
For indoor and outdoor surfaces



## Dulisol Hydro

### Hybrid Polyurethane - Acrylic Water Based Floor Paint

- Suitable for paved, concrete floors and alkaline surfaces.
- Due to its special composition, it is suitable for indoor and outdoor floors with light traffic.
- It offers great coverage, smooth application, very good adhesion and high water & weather resistance.
- Available at white, grey RAL 7035, grey RAL 7040 & thousand shades via Vechro tinting system.



COVERING POWER  
12-14m<sup>2</sup>/lt



COATS  
2



DRYING  
½-1h




DILUTION:  
brush/roller:  
8-10% with  
water  
spraygun: 15%  
with water



## Dulisol

### Solvent Based Acrylic Paint for Stones, Pavements & Floors

- Suitable for painting paving, concrete floors.
- Excellent adhesion.
- Excellent resistance to UV radiation and difficult weather conditions.
- Available at white, terracotta (3013) and grey (7046).



COVERING POWER  
12-15m<sup>2</sup>/lt



COATS  
2



DRYING  
½-2h



DILUTION:  
5% with  
Vechro's  
THINNER  
No1 or No3



### Dulisol Hydro is back

with new composition ready to change the norms in the floor coatings category. The new Dulisol Hydro is hybrid polyurethane- acrylic water based floor paint for paved, concrete floors, and alkaline surfaces. Due to its special composition it is suitable for indoor and outdoor floors with light traffic. Available at thousand shades via Vechro's tinting system.

Dulisol brand family has been created in order to satisfy the needs and expectations of professionals and D-I-Yers, by offering great coverage to indoor and outdoor floors. Dulisol family offers smooth application, great coverage, very good adhesion, and high water resistance.

# DULISOL

# We choose VECHRO, the leading company in total ecological paint Sales & Certifications since 2003!

- Because they have minimal environmental impact.
- Because they do not contain dangerous substances for humans and the environment, such as heavy metals, mutagens, carcinogens or toxic substances.
- Because they have low odour, and contain a minimal amount of volatile and semi-volatile organic compounds.
- Because they are premium quality products.
- Because they have a long life.
- Because they ensure safe painting without fumes.
- Because they are certified by the European Union, and have been evaluated for their properties according to the strictest standards by independent laboratories.



Year of establishment of the company

First ecological product certification

Number of certified VECHRO ecological products



**VECHRO S.A.**  
 302 Liosion Av. | 11145 Athens | T +30 210 48 16 101  
**Northern Greece** 9 Olimpou & Ektelesthenton Kalochoriton  
 570 09 Kalochori Thessaloniki | T +30 2310 784 300  
**E** info@vechro.gr | www.vechro.gr  
**IG** vechro | **F** vechrogr | **YT** vechropaints

